L Number	Hits	Search Text	DB	Time stamp
1	17459	707/\$.ccls.	USPAT;	2003/11/17 08:52
'	11400		US-PGPUB;	2003/11/7/ 00.32
8			EPO; JPO;	
		•	DERWENT;	,
l			IBM_TDB	
2	1823	707/\$.ccls. and (compress\$5 or encod\$5) and (decompress\$5	USPAT;	2003/11/17 09:00
		or de-compress\$5 or decod\$5 or uncompress\$5 or	US-PGPUB;	
		un-compresss\$5)	EPO; JPO;	
			DERWENT;	
3	446	(707/\$ colo and (name of a second 5) and	IBM_TDB	00004447005
3	440	(707/\$.ccls. and (compress\$5 or encod\$5) and (decompress\$5 or de-compress\$5 or decod\$5 or	USPAT; US-PGPUB;	2003/11/17 08:57
1		uncompress\$5 or un-compress\$5)) and (multiple or number	EPO; JPO;	,
]		or plurality or dual) near3 (compress\$6 or encod\$6)	DERWENT;	
l i		or planality of dataly flears (compression of effection)	IBM_TDB	
4	74	((707/\$.ccls. and (compress\$5 or encod\$5) and	USPAT;	2003/11/17 08:58
		(decompress\$5 or de-compress\$5 or decod\$5 or	US-PGPUB;	2000/11/11/00:00
		uncompress\$5 or un-compresss\$5)) and (multiple or number	EPO; JPO;	
		or plurality or dual) near3 (compress\$6 or encod\$6)) and	DERWENT;	
_		search\$4 near4 (record or (data adj record))	IBM_TDB	
5	575	707/\$.ccls. and (multiple or number or plurality or dual) near2	USPAT;	2003/11/17 08:57
		(compress\$6 or encod\$6)	US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	
6	673	707/\$ colo and (multiple or number or alterality or deal or level	IBM_TDB	00004447.00.00
10	0/3	707/\$.ccls. and (multiple or number or plurality or dual or level or stage) near2 (compress\$6 or encod\$6)	USPAT; US-PGPUB;	2003/11/17 09:08
1		or stage) ricalz (compressão or encodão)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
7	76	(707/\$.ccls. and (multiple or number or plurality or dual or level	USPAT;	2003/11/17 09:00
		or stage) near2 (compress\$6 or encod\$6)) and search\$4	US-PGPUB;	
		near2 (record or (data adj record))	EPO; JPO;	
			DERWENT;	
		47074	IBM_TDB	·
8	4	((707/\$.ccls. and (multiple or number or plurality or dual or	USPAT;	2003/11/17 09:02
		level or stage) near2 (compress\$6 or encod\$6)) and search\$4	US-PGPUB;	
		near2 (record or (data adj record))) and (compress\$5 or encod\$5) near2 rate	EPO; JPO;	
		Chooding the second sec	DERWENT; IBM_TDB	
9	- 34	(707/\$.ccls. and (multiple or number or plurality or dual or level	USPAT;	2003/11/17 09:08
		or stage) near2 (compress\$6 or encod\$6)) and (compress\$5	US-PGPUB;	2003/11/17 03.00
		or encod\$5) near2 rate	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	1056	707/\$.ccls. and (multiple or number or plurality or dual or	USPAT;	2003/11/17 09:13
		levels! or stages! or methods!) near4 (compress\$6 or	US-PGPUB;	<u>;</u>
		encod\$6)	EPO; JPO;	
			DERWENT;	
11	44	(707/\$.ccls. and (multiple or number or plurality or dual or	IBM_TDB USPAT;	2003/11/17 09:14
'	77	levels! or stages! or methods!) near4 (compress\$6 or	USPAT; US-PGPUB;	2003/11/1/ 09:14
		encod\$6)) and (compress\$5 or encod\$5) near2 rate	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , ,	DERWENT:	
			IBM_TDB	
12	748	707/\$.ccls. and (multiple or number or plurality or dual or	USPAT;	2003/11/17 09:13
		levels! or stages! or methods!) near2 (compress\$6 or	US-PGPUB;	
		encod\$6)	EPO; JPO;	
			DERWENT;	
13	35	(707/\$ cole and (multiple or number or alterality as dead as	IBM_TDB	2002/44/47 22 4 :
10	30	(707/\$.ccls. and (multiple or number or plurality or dual or levels! or stages! or methods!) near2 (compress\$6 or	USPAT;	2003/11/17 09:14
		encod\$6)) and (compress\$5 or encod\$5) near2 rate	US-PGPUB; EPO; JPO;	
		onocayo), and (compressed or encoups) flears rate	DERWENT;	
			IBM TDB	
L			100	

L Number	Hits	Search Text	DB	Time stamp
1	626	lempel-Ziv	USPAT;	2003/11/07 13:15
	-	,	US-PGPUB;	2000/11/07/10:10
			EPO; JPO;	
			DERWENT;	
		. ,	IBM_TDB	
2	508	lempel-Ziv and (compress\$6 or encod\$4 or compact\$4) and	USPAT;	2003/11/07 13:16
		(decompress\$6 or decod\$4)	US-PGPUB;	
F 1			EPO; JPO;	
			DERWENT:	•
*			IBM_TDB	
3	493	lempel-Ziv and (compress\$6 or encod\$4 or compact\$4) same	USPAT;	2003/11/07 13:16
		(decompress\$6 or decod\$4)	US-PGPUB;	‡
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	103	(lempel-Ziv and (compress\$6 or encod\$4 or compact\$4) same	USPAT;	2003/11/07 13:26
		(decompress\$6 or decod\$4)) and (compress\$6 or encod\$4 or	US-PGPUB;	
		compact\$4) with search\$5	EPO; JPO;	
			DERWENT;	
5	4.4	((lompol Ziv and (sempress #0 as assault 4)	IBM_TDB	000011110001000
ا ،	14	((lempel-Ziv and (compress\$6 or encod\$4 or compact\$4) same (decompress\$6 or decod\$4)) and (compress\$6 or	USPAT;	2003/11/07 13:23
		encod\$4 or compact\$4) with search\$5) and 707/\$.ccls.	US-PGPUB;	
		encouşa or compactşa) with search\$5) and 7077\$.ccis.	EPO; JPO;	
			DERWENT;	
7	1	(((lempel-Ziv and (compress\$6 or encod\$4 or compact\$4)	IBM_TDB USPAT:	2002/44/07 42:40
'	•	same (decompress\$6 or decod\$4)) and (compress\$6 or	,	2003/11/07 13:19
		encod\$4 or compact\$4) with search\$5) and 707/\$.ccls.) and	US-PGPUB; EPO; JPO;	
l		read same restor\$5	DERWENT;	
		1000 001110 10010140	IBM_TDB	
6	3	(((lempel-Ziv and (compress\$6 or encod\$4 or compact\$4)	USPAT;	2003/11/07 13:20
		same (decompress\$6 or decod\$4)) and (compress\$6 or	US-PGPUB;	2000/11/07 10.20
		encod\$4 or compact\$4) with search\$5) and 707/\$.ccls.) and	EPO; JPO;	
		read and restor\$5	DERWENT;	
			IBM TDB	
8	5	(((lempel-Ziv and (compress\$6 or encod\$4 or compact\$4)	USPAT;	2003/11/07 13:23
		same (decompress\$6 or decod\$4)) and (compress\$6 or	US-PGPUB;	
1	i	encod\$4 or compact\$4) with search\$5) and 707/\$.ccls.) and	EPO; JPO;	
		(read or reads! or reading) and (restor\$5 or recover\$5)	DERWENT;	
			IBM_TDB	
9	236	lempel-Ziv and (read or reads! or reading) and (restor\$5 or	USPAT;	2003/11/07 13:23
		recover\$5)	US-PGPUB;	
j	l	,	EPO; JPO;	
	l		DERWENT;	
11	3	(lempel-Ziv and (read or reads! or reading) same (restor\$5 or	IBM_TDB	2002/44/07 42 25
l	3	recover\$5)) and 707/\$.ccls.	USPAT;	2003/11/07 13:27
	İ	1000 FOTWOJ) CITIC 1 OTTW. COIS.	US-PGPUB; EPO; JPO;	
	l		DERWENT;	
	l	,	IBM TDB	
10	55	lempel-Ziv and (read or reads! or reading) same (restor\$5 or	USPAT;	2003/11/07 13:26
		recover\$5)	US-PGPUB;	2000/11/0/ 13.20
]		• •	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
12	0	lempel-Ziv and attribution with record	USPAT:	2003/11/07 13:25
'			US-PGPUB;	322.1.1.0, 70.20
			EPO; JPO;	
	*		DERWENT;	
			IBM_TDB	
13	38	attribution with record	USPAT;	2003/11/07 13:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u> </u>			IBM_TDB	

15	10119	(compress\$6 or encod\$4 or compact\$4) with search\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT:	2003/11/07 14:01
16	499	((compress\$6 or encod\$4 or compact\$4) with search\$5) and (read or reads! or reading) same (restor\$5 or recover\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/07 13:26
17	61	(((compress\$6 or encod\$4 or compact\$4) with search\$5) and (read or reads! or reading) same (restor\$5 or recover\$5)) and (attribution or field or column) with record	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/07 13:26
19	.7	((((compress\$6 or encod\$4 or compact\$4) with search\$5) and (read or reads! or reading) same (restor\$5 or recover\$5)) and (attribution or field or column) with record) and 707/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/07 14:03
20	101021	(compress\$6 or encod\$4 or compact\$4) with (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/07 14:02
21	3261	((compress\$6 or encod\$4 or compact\$4) with search\$5) and ((compress\$6 or encod\$4 or compact\$4) with (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 14:02
22	64	(((compress\$6 or encod\$4 or compact\$4) with search\$5) and ((compress\$6 or encod\$4 or compact\$4) with (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6))) and ((compress\$6 or encod\$4 or compact\$4) or (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6)) with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:03
23	50	(attribution or field or column) with record (((compress\$6 or encod\$4 or compact\$4) with search\$5) and ((compress\$6 or encod\$4 or compact\$4) with (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6))) and ((compress\$6 or encod\$4 or compact\$4) or (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6)) with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:06
25	1	(attributions! or fields! or columns! or group) with record (((((compress\$6 or encod\$4 or compact\$4) with search\$5) and ((compress\$6 or encod\$4 or compact\$4) with (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6))) and ((compress\$6 or encod\$4 or compact\$4) or (decompress\$5 or decod\$5 or uncompress\$6 or un	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:04
26	1	group) with record) and 707/\$.ccls.) and classif\$6 ((((((compress\$6 or encod\$4 or compact\$4) with search\$5) and ((compress\$6 or encod\$4 or compact\$4) with (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6))) and ((compress\$6 or encod\$4 or compact\$4) or (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6)) with (attributions! or fields! or columns! or group) with record) and 707/\$.ccls.) and classif\$6) and (attributions! or fields! or columns! or group) and database and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:07
27	1	record ((((((compress\$6 or encod\$4 or compact\$4) with search\$5) and ((compress\$6 or encod\$4 or compact\$4) with (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6))) and ((compress\$6 or encod\$4 or compact\$4) or (decompress\$5 or decod\$5 or uncompress\$6 or un-compress\$6)) with (attributions! or fields! or columns! or group) with record) and 707/\$.ccls.) and classif\$6) and (attribution or field or column or group) and database and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:07

24	11	((((compress\$6 or encod\$4 or compact\$4) with search\$5) and	USPAT;	2003/11/07 14:09
		((compress\$6 or encod\$4 or compact\$4) with (decompress\$5	US-PGPUB;	
		or decod\$5 or uncompress\$6 or un-compress\$6))) and (EPO; JPO;	
		(compress\$6 or encod\$4 or compact\$4) or (decompress\$5 or	DERWENT;	
		decod\$5 or uncompress\$6 or un-compress\$6)) with	IBM TDB	
Į		(attributions! or fields! or columns! or group) with record) and	_	
ĺ		707/\$.ccls.		